

South Carolina Term Contract for Bogen Communications Audio/Visual Equipment

encore
technology group

Contract #4400026109

BOGEN[®]
COMMUNICATIONS, INC.

Encore Technology Group

Manufacturer Part #	Product Description	MSRP	AV Discount	AV Price
BG-TPU60B	Bogen 60 Watt Amp	\$979.37	15%	\$832.46
BG-V100	100W Power Vector Modular Amp	\$1,154.41	15%	\$981.25
BG-TPU100B	100 Watt Amp	\$1,071.27	15%	\$910.58
BOG-PCMCPU	This paging system integrates multi-function modules, providing both flexibility and expansion capability. Supports up to 99 high/low power paging zones. Features universal telephone interface, talkback, zone assignable BGM, and emergency override.	\$288.02	15%	\$244.82
BOG-WV150	Power Vector wall-mount amps feature 8 bays for plug-in input modules, 4 levels of priority between mods, 1 volume control per bay, LED output meters, motorized master volumes, and bass/treble controls. Two of the bays can support output processor modules.	\$2,142.38	15%	\$1,821.02
BOG-V150	Power Vector series amps feature 8 bays for plug-in input modules, 4 levels of priority between mods, 1 volume control per bay, LED output meters, motorized master volumes, and bass/treble controls. Two of the bays can support output processor modules. Additionally, these models are rack-mountable and provide AC convenience receptacles.	\$1,332.50	15%	\$1,132.63
BOG-VMIX	The VMIX is ideal for background/foreground music and paging. It features 8 module bays, 4 priority levels, independent volume controls, motorized master volume, and bass/treble controls. For large applications, several VMIXs can be bridged together.	\$805.79	15%	\$684.92
BOG-CS1EZ	Bogen's CS1EZ is a pre-assembled for easy installation into 70V systems. It features an 8" driver, 13" steel ceiling grille, screw terminal board, and accessible volume control located on the faceplate.	\$76.63	15%	\$65.14
BOG-A6TBLK	This all-weather speaker is designed to bring music and paging to patios, pool areas, and anywhere a fully-sealed design is needed. It features a metal-alloy cone, gold-plated barrier strip, fluid voice coil suspension, and matching mounting bracket; Frequency Response (-10 dB): 50 Hz to 20 kHz; Sensitivity (1W/ 1 m, 8-	\$460.42	15%	\$391.36

	ohm); 89 dBspl; Power Handling: 32W at 70V; Additional Taps: 16W, 8W; Terminations: Gold-Plated, Rust-Proof Barrier Strip; Environmental: Meets or exceeds Mil-Std-810E; Included Accessories: Color-Matched Aluminum Mounting Bracket			
BOG-PCMTIM	The Bogen Model PCMTIM is the Telephone Interface Module for the Bogen PCM Zone Paging System. Only one PCMTIM module is required per system (1 through 99 zones). The PCMTIM provides the telephone interface (including talk battery), night ringer input, emergency override input, background music source input, and auxiliary relay contacts for the system. The module is also responsible for all tone signaling features. Controls are included for background music volume; and tone volume.	\$370.15	15%	\$314.63
BOG-PCMZPM	The Bogen PCMZPM module provides three zones of paging to the PCM2000 system. Up to three PCMZPM modules can be used in a basic system to provide up to nine zones of paging. Additional modules can be combined with a PCMCPU module in a satellite system when more than nine zones are required. Each PCMZPM module lets you set the talkback option (on or off) and back; ground music options for each zone. Each zone can be connected or disconnected from the background music bus. Furthermore, the entire module can be disconnected from the bus and a local background music source substituted. Each module can also be configured for high-power operation (when using passive speakers and a central amplifier), or low-power operation (supplying low level signals to amplified speakers). A relay driver is provided for each zone; becoming active when the zone is active.	\$248.53	15%	\$211.25
BOG-PCMCPU	This paging system integrates multi-function modules, providing both flexibility and expansion capability. Supports up to 99 high/low power paging zones. Features universal telephone interface, talkback, zone assignable BGM, and emergency override.	\$288.02	15%	\$244.82
BOG-WV150	Power Vector wall-mount amps feature 8 bays for plug-in input modules, 4 levels of priority between mods, 1 volume control per bay, LED output meters, motorized master volumes, and bass/treble controls. Two of the bays can support output processor modules.	\$2,142.38	15%	\$1,821.02
BOG-PCMTBM	The Bogen Model PCMTBM is the talkback applications module for the Bogen PCM2000 Zone Paging System. The PCMTBM is used with a high-power central amplifier to provide talkback paging in zones with passive speakers. The module is equipped with controls to adjust talkback volume and talkback delay. A noise PCM TBM reduction	\$283.21	15%	\$240.73

	switch mutes background noise when no audio activity is present in; the zone.			
BOG-C10	Bogen's C10 is designed for reliable public address. It provides low impedance and distributed level outputs for paging and announcement systems. Features 1 dedicated input and 1 switchable Mic2/Aux input.	\$384.25	15%	\$326.61
BOG-C20	Bogen's C20 is designed for reliable public address. It provides low impedance and distributed level outputs for paging and announcement systems. Features 1 dedicated input and 1 switchable Mic2/Aux input.	\$521.91	15%	\$443.62
BOG-C60	Bogen's classic series mixer amplifiers allow mixing of microphone, telephone, and auxiliary sources. Screw terminals provide output to low impedance and transformer-coupled speakers. Each of the 4 inputs has its own volume control. Additional features include treble/bass control, aux muting, vox muting, and audio output.	\$909.37	15%	\$772.96
BOG-C100	Bogen's classic series mixer amplifiers allow mixing of microphone, telephone, and auxiliary sources. Screw terminals provide output to low impedance and transformer-coupled speakers. Each of the 4 inputs has its own volume control. Additional features include treble/bass control, aux muting, vox muting, and audio output.	\$1,078.59	15%	\$916.80
BOG-C35	Bogen's classic series mixer amplifiers allow mixing of microphone, telephone, and auxiliary sources. Screw terminals provide output to low impedance and transformer-coupled speakers. Each of the 4 inputs has its own volume control. Additional features include treble/bass control, aux muting, vox muting, and audio output.	\$708.05	15%	\$601.84
BOG-TPU250	TPU series wall-mount amplifiers are designed for telephone paging systems. Automatic level control compensates for varying voice levels and signal-activated paging automatically mutes background music. Other features include built-in night ringer, 600 telephone input, lo-z mic input, RCA music in, Aphex Aural Exciter, bass/treble controls, night ringer and more.	\$2,183.72	15%	\$1,856.16
BOG-TPU100B	TPU series wall-mount amplifiers are designed for telephone paging systems. Automatic level control compensates for varying voice levels and signal-activated paging automatically mutes background music. Other features include built-in night ringer, 600 telephone input, lo-z mic input, RCA music in, Aphex Aural Exciter, bass/treble controls, night ringer and more.	\$1,167.67	15%	\$992.52
BOG-TPU60B	TPU series wall-mount amplifiers are designed for telephone paging systems. Automatic level control compensates for varying voice levels and signal-activated paging automatically mutes background music. Other features	\$1,067.53	15%	\$907.40

	include built-in night ringer, 600 telephone input, lo-z mic input, RCA music in, Aphex Aural Exciter, bass/treble controls, night ringer and more.			
BOG-V35	Power Vector series amps feature 8 bays for plug-in input modules, 4 levels of priority between mods, 1 volume control per bay, LED output meters, motorized master volumes, and bass/treble controls. Two of the bays can support output processor modules. Additionally, these models are rack-mountable and provide AC convenience receptacles.	\$865.26	15%	\$735.47
BOG-V100	Power Vector series amps feature 8 bays for plug-in input modules, 4 levels of priority between mods, 1 volume control per bay, LED output meters, motorized master volumes, and bass/treble controls. Two of the bays can support output processor modules. Additionally, these models are rack-mountable and provide AC convenience receptacles.	\$1,245.60	15%	\$1,058.76
BOG-V60	Power Vector series amps feature 8 bays for plug-in input modules, 4 levels of priority between mods, 1 volume control per bay, LED output meters, motorized master volumes, and bass/treble controls. Two of the bays can support output processor modules. Additionally, these models are rack-mountable and provide AC convenience receptacles.	\$1,183.36	15%	\$1,005.86
BOG-V250	Power Vector series amps feature 8 bays for plug-in input modules, 4 levels of priority between mods, 1 volume control per bay, LED output meters, motorized master volumes, and bass/treble controls. Two of the bays can support output processor modules. Additionally, these models are rack-mountable and provide AC convenience receptacles.	\$1,789.26	15%	\$1,520.87
BOG-WV100	Power Vector wall-mount amps feature 8 bays for plug-in input modules, 4 levels of priority between mods, 1 volume control per bay, LED output meters, motorized master volumes, and bass/treble controls. Two of the bays can support output processor modules.	\$1,927.90	15%	\$1,638.72
BOG-WV250	Power Vector wall-mount amps feature 8 bays for plug-in input modules, 4 levels of priority between mods, 1 volume control per bay, LED output meters, motorized master volumes, and bass/treble controls. Two of the bays can support output processor modules.	\$3,027.97	15%	\$2,573.77
BOG-M300	M-Class amplifiers offer three modes of operation: Stereo (4-ohm), 70V Mono, and Dual Mono (4-ohm). Mono mode turns the input section into a 2 channel mixer. Two modular bays are provided for optional input types. Also features selectable LF roll-off, insert connections, Sleep Mode, clip limiting, and more.	\$2,371.64	15%	\$2,015.89
BOG-X300	Black Max amplifiers provide max performance in 70V speaker systems. They feature two channels of class-H amplification	\$2,218.04	15%	\$1,885.33

	with transformerless direct outputs. Auto-sleep function conserves energy in continuously-powered systems. Other features include low-cut filters, built-in power sequencing, and amp protection circuits.			
BOG-X600	Black Max amplifiers provide max performance in 70V speaker systems. They feature two channels of class-H amplification with transformerless direct outputs. Auto-sleep function conserves energy in continuously-powered systems. Other features include low-cut filters, built-in power sequencing, and amp protection circuits.	\$2,611.33	15%	\$2,219.63
BOG-M450	M-Class amplifiers offer three modes of operation: Stereo (4-ohm), 70V Mono, and Dual Mono (4-ohm). Mono mode turns the input section into a 2 channel mixer. Two modular bays are provided for optional input types. Also features selectable LF roll-off, insert connections, Sleep Mode, clip limiting, and more.	\$2,827.11	15%	\$2,403.04
BOG-M600	M-Class amplifiers offer three modes of operation: Stereo (4-ohm), 70V Mono, and Dual Mono (4-ohm). Mono mode turns the input section into a 2 channel mixer. Two modular bays are provided for optional input types. Also features selectable LF roll-off, insert connections, Sleep Mode, clip limiting, and more.	\$3,267.35	15%	\$2,777.25
BOG-BPA60	Designed for commercial sound systems, the BPA60 drives 8 ohm/25V, 25VCT, and 70V systems. An illuminated on/off power switch is located on its front panel. Rear panel features level control, circuit breaker, lo-cut filter, and auxiliary receptacle; Rated Output Power: 60 watts RMS; Hum and Noise: 85dB below rated output; Lo-cut Filter: -10dB at 100Hz (switch-selectable); Auxiliary Receptacle (not switched): Three-wire grounded, 300W maximum	\$1,182.72	15%	\$1,005.31
BOG-X450	Black Max amplifiers provide max performance in 70V speaker systems. They feature two channels of class-H amplification with transformerless direct outputs. Auto-sleep function conserves energy in continuously-powered systems. Other features include low-cut filters, built-in power sequencing, and amp protection circuits.	\$2,482.72	15%	\$2,110.31
BOG-TPU35B	TPU series wall-mount amplifiers are designed for telephone paging systems. Automatic level control compensates for varying voice levels and signal-activated paging automatically mutes background music. Other features include built-in night ringer, 600 telephone input, lo-z mic input, RCA music in, Aphex Aural Exciter, bass/treble controls, night ringer and more.	\$878.48	15%	\$746.71
BOG-S86T725PG8W	The S86T725PG8W assembly consists of an 8" driver, 25/70V transformer, and steel grille.	\$45.91	15%	\$39.02

BOG-S86T725PG8WBR	The S86T725PG8WBR assembly consists of an 8" driver, 25/70V transformer, steel grille, and screw terminals.	\$61.12	15%	\$51.95
BOG-S86T725PG8WBRVK	The S86T725PG8WBRVK assembly consists of an 8" driver, 25/70V transformer, steel grille, screw terminals, and a volume control knob.	\$87.38	15%	\$74.27
BOG-S86T725PG8WBRVR	The S86T725PG8WBRVR assembly consists of an 8" driver, 25/70V transformer, steel grille, screw terminals, and a recessed volume control.	\$84.08	15%	\$71.47
BOG-HFCS1	The Bogen HFCS1 speaker provides for easy installation. It features snap-lock terminals, bass-extending venting, and a versatile mounting system. HFCS1 features an 11" back can.	\$215.01	15%	\$182.76
BOG-HFCS1LP	The Bogen HFCS1LP speaker provides for easy installation. It features snap-lock terminals, bass-extending venting, and a versatile mounting system. The HFCS1LP features a 6.75" can.	\$222.18	15%	\$188.85
BOG-MB8TSL	Bogen's Metal Box Speakers feature all-steel surface-mounted enclosures. The MB8TSQ is suitable for ceiling or wall mounting.	\$105.62	15%	\$89.78
BOG-MB8TSQ	Bogen's Metal Box Speakers feature all-steel surface-mounted enclosures. The MB8TSL is designed primarily for wall mounting, and its face is angled downward 12.5 degrees.	\$102.72	15%	\$87.31
BOG-SM1EZ	Easy Install Speakers can be completely installed and mounted in the ceiling, secured, and connected in less than a minute. Mounting studs pierce through ceiling tile and also serve as wire terminals. Carry voice messages with clarity anywhere dependable communication is required.	\$101.44	15%	\$86.22
BOG-SM4T	Easy Install Speakers can be completely installed and mounted in the ceiling, secured, and connected in less than a minute. Mounting studs pierce through ceiling tile and also serve as wire terminals. Carry voice messages with clarity anywhere dependable communication is required.	\$101.13	15%	\$85.96
BOG-FMH15T	The Bogen FMH15T is a flange-mounted, high-intelligibility, reentrant-type loudspeaker. Its sturdy, weatherproof, vandal-resistant, all-metal construction is ideal for indoor and outdoor use. It has a built-in tap selector switch for selecting the speaker power in 70V or 25V constant-voltage systems.	\$193.95	15%	\$164.86
BOG-A2BLK	NEAR A-Series Armadillo loudspeakers feature NEAR's unique technologies that improve sound quality and operating reliability. Attractively styled, they are engineered for both indoor and outdoor applications. The compact A2 models are designed for smaller spaces. Their high audio intelligibility and superb articulation make them ideal for music or paging applications. The A6 models are conveniently sized, 2-way designs with high-power handling for applications such as	\$352.40	15%	\$299.54

	restaurants, health clubs, and patio and pool areas. The A8 models are high-output 2-way designs for larger spaces such as clubs, auditoriums, and theme parks. All models feature NEAR's MDT (Metal Diaphragm Technology) and MLS (Magnetic Liquid Suspension).			
BOG-A8BLK	NEAR A-Series Armadillo loudspeakers feature NEAR's unique technologies that improve sound quality and operating reliability. Attractively styled, they are engineered for both indoor and outdoor applications. The compact A2 models are designed for smaller spaces. Their high audio intelligibility and superb articulation make them ideal for music or paging applications. The A6 models are conveniently sized, 2-way designs with high-power handling for applications such as restaurants, health clubs, and patio and pool areas. The A8 models are high-output 2-way designs for larger spaces such as clubs, auditoriums, and theme parks. All models feature NEAR's MDT (Metal Diaphragm Technology) and MLS (Magnetic Liquid Suspension).	\$691.22	15%	\$587.54
BOG-A8WHT	NEAR A-Series Armadillo loudspeakers feature NEAR's unique technologies that improve sound quality and operating reliability. Attractively styled, they are engineered for both indoor and outdoor applications. The compact A2 models are designed for smaller spaces. Their high audio intelligibility and superb articulation make them ideal for music or paging applications. The A6 models are conveniently sized, 2-way designs with high-power handling for applications such as restaurants, health clubs, and patio and pool areas. The A8 models are high-output 2-way designs for larger spaces such as clubs, auditoriums, and theme parks. All models feature NEAR's MDT (Metal Diaphragm Technology) and MLS (Magnetic Liquid Suspension).	\$625.42	15%	\$531.61
BOG-ACD2X2	Bogen's ACD2X2 Drop-In Ceiling Speaker is a full-range speaker that allows for fast and easy installation, which saves installation time, effort, and cost. The ACD2X2 is a 2' x 2' speaker that fits perfectly into place in 2' x 2' ceiling grids without needing to cut ceiling tiles or requiring the use of tile support rails. The ACD2X2 can also be easily installed in 2' x 4' ceiling grids just make one cut to the ceiling tile, position the support rail (included), and drop the speaker into place.	\$160.75	15%	\$136.64
BOG-BDT30A	The BDT30A is a compact loudspeaker designed for one- or two-way sound and communication systems. Ideal for use in industrial plants, warehouses, schools, construction sites, transportation terminals,	\$326.81	15%	\$277.79

	and recreational areas; Speaker assembly required.			
BOG-CAM8PRO	The Bogen CAM8PRO is an 8-input, dual-bus MIC/Line mixer that combines superb performance with a generous array of simple-to-use features in a single-rack space design. It features 8 independently assignable inputs switch; able between MIC and Line. Each input has a trim control, a switchable low-cut filter, and a Main/Auxiliary bus output selector. An additional Auxiliary input can be routed to the Main output, AUX output, or both by setting; internal jumpers. Phantom Power is provided for condenser microphones; The CAM8PRO also features a built-in Compressor/Limiter with adjustable Threshold and Ratio Controls. A Bar Graph Output Meter indicates output signal levels. The CAM8PRO also includes a headphone output. Solidly; engineered, the Bogen CAM8PRO mixer will provide many years of trouble-free operation.	\$1,324.58	15%	\$1,125.89
BOG-CSD1X2	Bogen s CSD1X2 Drop-In Ceiling Speakers are 1' X 2'; speakers that allow for fast and easy installation; Just make one simple cut to the ceiling tile, lay the; support rail crossbar (included) across the ceiling; grid, and drop the speaker into place.	\$119.15	15%	\$101.28
BOG-CSD2X2	Bogen's CSD2X2 Drop-In Ceiling Speaker is a full-range; speaker that allows for fast and easy installation, which; saves installation time, effort, and cost; The CSD2X2 is a 2' x 2' speaker that fits perfectly into; place in 2' x 2' ceiling grids - without needing to cut; ceiling tiles or requiring the use of tile support rails. The; CSD2X2 can also be easily installed in 2' x 4' ceiling; grids - just make one cut to the ceiling tile, position the; support rail (included), and drop the speaker into place.	\$162.36	15%	\$138.01
BOG-CSD2X2LU	BOGEN CSD2X2LU SPKR,8 OHMS ONLY BRIGHT WHITE	\$160.16	15%	\$136.14
BOG-CSD2X2U	Bogen s CSD2X2 Drop-In Ceiling Speaker is a full-range; speaker that allows for fast and easy installation, which; saves installation time, effort, and cost; The CSD2X2 is a 2' x 2' speaker that fits perfectly into; place in 2' x 2' ceiling grids without needing to cut; ceiling tiles or requiring the use of tile support rails. The; CSD2X2 can also be easily installed in 2' x 4' ceiling; grids just make one cut to the ceiling tile, position the; support rail (included), and drop the speaker into place.	\$162.36	15%	\$138.01
BOG-CSD2X2VR	Bogen s CSD2X2 Drop-In Ceiling Speaker is a full-range; speaker that allows for fast and easy installation, which; saves installation time, effort, and cost; The CSD2X2 is a 2' x 2' speaker that fits perfectly into; place in 2' x 2' ceiling grids without needing to cut; ceiling tiles or requiring the use of tile support rails.	\$186.47	15%	\$158.50

	The; CSD2X2 can also be easily installed in 2' x 4' ceiling; grids just make one cut to the ceiling tile, position the; support rail (included), and drop the speaker into place.			
BOG-DST1	The Bogen DST1 Digital Stereo Tuner is ideal as a background music source in sound systems of all sizes. It incorporates a digital PLL-synthesized tuner for precise reception of FM and AM signals. Tuning is accomplished by pushbuttons with frequency readout appearing on an alphanumeric, fluorescent display panel; The DST1 features the ability to store up to 60 total presets (FM and AM). Stations can then be selected individually by pushbutton or by scanning the preset stations; The tuner operates from nominal 120V AC, 60 Hz. It is designed for shelf- or rack-mounted installation and is one rack space (1 RU) high. Removable rack ears are included with the unit.	\$559.72	15%	\$475.76
BOG-HS15EZ	Bogen s Easy Design line of horn loudspeakers are compact, high intelligibility, reentrant type loudspeakers designed for use with 70V amplifier systems. Their sturdy, weatherproof, all-metal construction is ideal for indoor and outdoor use in industrial plants, warehouses, schools, construction sites, transportation terminals, and recreational areas; The HS15EZ and HS30EZ are engineered to simplify installation (with a uniquely designed all-purpose mounting bracket) and field maintenance (with a self-aligning, field replaceable diaphragm), which save both time and money; Both the speakers and the mounting brackets are attractively finished in textured mocha enamel.	\$195.27	15%	\$165.98
BOG-HS30EZ	Bogen s Easy Design line of horn loudspeakers are compact, high intelligibility, reentrant type loudspeakers designed for use with 70V amplifier systems. Their sturdy, weatherproof, all-metal construction is ideal for indoor and outdoor use in industrial plants, warehouses, schools, construction sites, transportation terminals, and recreational areas; The HS15EZ and HS30EZ are engineered to simplify installation (with a uniquely designed all-purpose mounting bracket) and field maintenance (with a self-aligning, field replaceable diaphragm), which save both time and money; Both the speakers and the mounting brackets are attractively finished in textured mocha enamel.	\$244.55	15%	\$207.87
BOG-HTA250A	The Bogen HTA Power Amplifier Series are high-performance units employing Power MOSFET technology. The unique characteristics of Power MOSFET circuitry make them ideally suited to power amplifier design, providing far superior performance and reliability compared to other types of	\$2,312.31	15%	\$1,965.46

transistors. ; They offer higher efficiency, reduced heat, simpler overall design, reduced size and weight; The HTA250A Model supplies 250 watts (RMS continuous output) at less than 0.5% total harmonic distortion from 20 to 20,000 Hz. An input signal of only 500mV is required for full rated output. The input impedances are: high-impedance (50k ohms) unbalanced; low impedance (500/600 ohms, balanced or unbalanced) with optional accessory transformer Model TL600. Line bridging can be achieved with optional transformer Model TL100. Residual hum and noise is at least 90 dB below rated output and the output regulation is better than 2 dB from no load to full load; The amps can drive a variety of load impedances. Outputs include 4 ohms, 8 ohms, 25VCT and 70 volts. The amplifiers are capable of safely driving recommended load continuously. The HTA Series amps are thermally protected to prevent damage due to excessively high temperatures. Additional failure-preventive devices include overload limiting, short circuit protection, and a Slo-Blo fuse; Electronic shutdown circuitry is automatically activated if an overload or short occurs and the front panel overload shutdown LED illuminates. Once the cause has been rectified, the unit automatically resets. The power ON/OFF switch, located on the front panel, illuminates when power is on. The rear panel contains an input level control, input and output connections, the AC line fuse, and an auxiliary receptacle. A low-cut filter switch is located internally.

BOG-KFLDS30T	The Bogen KFLDS30T is a wide dispersion, high-intelligibility, reentrant-type horn loudspeaker designed for applications where wide angle projection and directivity is a necessity; The flare-shaped horn can be rotated to project wider dispersion in either the horizontal or vertical plane. The speaker's all-purpose tilt-and-swivel base simplifies installation and positioning; Its sturdy, weatherproof, polycarbonate and aluminum construction is ideal for both indoor and outdoor use; Screw terminals make installation fast and easy. A plastic cover protects the connectors and 70V/25V tap selector switch, as well as provides strain relief for the audio line.	\$238.70	15%	\$202.90
BOG-OPS1B	The Orbit Pendant Speaker (OPS1) is the ideal choice for high; ceiling and open space environments; The OPS1 features NEAR's MLS and MDT technologies, which improve sound quality and increase operating reliability; The low-distortion speaker design, featuring NEAR's spiderless driver and one-piece metal-alloy cone structure, delivers superb	\$487.83	15%	\$414.66

	articulation and the highest intelligibility for both music and speech. ; Frequency Response (-10 dB): 45 Hz to 19 kHz; Dispersion: 140 degrees; Impedance Ratings: Low (16 ohms) / High (70V/100V); Power Input (Max.): 100W @ 16 ohms; 32W @ 70V/100V; Power Settings (in watts): 70V: 32, 16, 8, 4, 2, 1; Product Weight: 10 lb; Speaker Dimensions: 15" dia. x 9-1/4" D			
BOG-PI35A	BOGEN PI35A desktop control center	\$4,563.61	15%	\$3,879.07
BOG-S810T725PG8U	The S810T725PG8U assembly consists of an 8" driver, 25/70V transformer, and steel grille.	\$53.06	15%	\$45.10
BOG-S810T725PG8UVR	The S810T725PG8UVR assembly consists of an 8" driver, 25/70V transformer, steel grille, and a recessed volume control.	\$74.01	15%	\$62.91
BOG-S810T725PG8W	The S810T725PG8W assembly consists of an 8" driver, 25/70V transformer, and steel grille.	\$53.06	15%	\$45.10
BOG-S810T725PG8WVK	The S810T725PG8WVK assembly consists of an 8" driver, 25/70V transformer, steel grille, and a volume control.	\$76.25	15%	\$64.81
BOG-S810T725PG8WVR	The S810T725PG8WVR assembly consists of an 8" driver, 25/70V transformer, steel grille, and a recessed volume control.	\$74.01	15%	\$62.91
BOG-S86T725	BOGEN S86T725 8 INCH SPEAKER W/TRANSFORMER	\$34.25	15%	\$29.11
BOG-S86T725PG8UVR	The S86T725PG8UVR assembly consists of an 8" driver, 25/70V transformer, steel grille, and a recessed volume control.	\$69.30	15%	\$58.91
BOG-S86T725PG8WVK	The S86T725PG8WVK assembly consists of an 8" driver, 25/70V transformer, steel grille, and a volume control.	\$72.16	15%	\$61.34
BOG-SP308A	The Bogen SP308A is a compact, high intelligibility, reentrant type loudspeaker, designed for one-way or two-way sound and communication systems. Its sturdy, weatherproof, all-metal construction is ideal for indoor and outdoor use in industrial plants, warehouses, schools, construction sites, transportation terminals, and recreational areas;	\$201.52	15%	\$171.29
BOG-WBS8T725BRV	Bogen Wall Baffle Speakers consist of 8" cone speakers pre-assembled into a simulated walnut-finished wooden enclosure with a black grille cloth on front. These wall baffles are handsomely styled and ruggedly built with 3/8" particle board reinforced at the corners. Designed for wall mounting, the face is angled downward 13.5 degrees. Available options include recessed volume control and terminal strip.	\$115.94	15%	\$98.55
BOG-WBS8T725V	Bogen Wall Baffle Speakers consist of 8" cone speakers pre-assembled into a simulated walnut-finished wooden enclosure with a black grille cloth on front. These wall baffles are handsomely styled and ruggedly built with 3/8" particle board reinforced at the corners.	\$99.66	15%	\$84.71

	Designed for wall mounting, the face is angled downward 13.5 degrees. Available options include recessed volume control and terminal strip.			
BOG-108-2150	APOGEE 108-2150 AMT-15 YOKE ASSEMBLY	\$211.93	15%	\$180.14
BOG-230-0110	APOGEE 230-0110 REAR RACK EAR SET, CA-AMP	\$28.16	15%	\$23.94
BOG-230-0100	APOGEE 230-0100 HANDLE SET, CA-AMPLIFIER	\$35.34	15%	\$30.04
BOG-106-0227W	APOGEE 106-0227W AFI-2s2 LOUDSPEAKER WHITE	\$1,381.49	15%	\$1,174.27
BOG-106-0080W	APOGEE 106-0080W AFI-7/8 TIGHT-PAK RIG MOD WHT	\$168.74	15%	\$143.43
BOG-106-0080	APOGEE 106-0080 AFI-7/8 TIGHT-PAK RIGGING MOD	\$168.74	15%	\$143.43
BOG-106-0800	APOGEE 106-0800 AFI-8 BLACK loudspkr	\$2,978.56	15%	\$2,531.78
BOG-106-2400	APOGEE 106-2400 AFI-3 VERT YOKE ASSY	\$271.46	15%	\$230.74
BOG-106-0227	APOGEE 106-0227 AFI-2s2 BLK loudspkr	\$1,381.49	15%	\$1,174.27
BOG-106-2200	APOGEE 106-2200 AFI-2 YOKE ASSEMBLY	\$172.26	15%	\$146.42
BOG-16MN-PSU	APOGEE 16MN-PSU POWER SUPPLY, 16 CHANNELS	\$9,420.71	15%	\$8,007.60
BOG-108-2120	APOGEE 108-2120 AMT-12 YOKE ASSEMBLY	\$211.93	15%	\$180.14
BOG-106-0400	APOGEE 106-0400 AFI-4 LOUDSPEAKER	\$2,413.62	15%	\$2,051.58
BOG-106-9000	APOGEE 106-9000 AFI-9 BLACK LOUDSPEAKER	\$5,327.82	15%	\$4,528.65
BOG-106-2900	APOGEE 106-2900 AFI-9 YOKE ASSEMBLY	\$452.45	15%	\$384.58
BOG-106-2800	APOGEE 106-2800 AFI-8 YOKE ASSEMBLY	\$255.34	15%	\$217.04
BOG-106-2410W	APOGEE 106-2410W AFI-4 HORIZ'I YOKE ASSY WHITE	\$385.00	15%	\$327.25
BOG-106-2410	APOGEE 106-2410 AFI-4 HORIZONTAL YOKE	\$385.00	15%	\$327.25
BOG-106-2400W	APOGEE 106-2400W AFI-4 VERT YOKE ASSY - WHITE	\$271.46	15%	\$230.74
BOG-106-2200W	APOGEE 106-2200W AFI-2 YOKE ASSEMBLY WHITE	\$172.26	15%	\$146.42

BOG-106-2140	APOGEE 106-2140 AFI-3/4 ADJUSTABLE RIGGING BM	\$291.58	15%	\$247.84
BOG-106-2040W	APOGEE 106-2040W AFI-4 TIGHT PAK RIGGING MODULE	\$264.85	15%	\$225.12
BOG-106-2040	APOGEE 106-2040 AFI-4 TIGHT PAK RIGGING MODULE	\$271.46	15%	\$230.74
BOG-106-0900W	APOGEE 106-0900W AFI-118 SUBWOOFER	\$2,728.15	15%	\$2,318.93
BOG-106-0900	APOGEE 106-0900 AFI-118 SUBWOOFER w/BARRIER	\$2,728.15	15%	\$2,318.93
BOG-106-0850	APOGEE 106-0850 AFI-8B BIAMP WIDE ANGLE BLACK	\$2,000.83	15%	\$1,700.71
BOG-106-0830W	APOGEE 106-0830W AFI-8W WIDE ANGLE WHITE	\$2,792.36	15%	\$2,373.51
BOG-106-0830	APOGEE 106-0830 AFI-8W WIDE ANGLE BLACK	\$2,862.16	15%	\$2,432.84
BOG-106-0820W	APOGEE 106-0820W AFI-8B BI-AMP WHITE	\$2,167.86	15%	\$1,842.68
BOG-106-0820	APOGEE 106-0820 AFI-8B BIAMP BLACK	\$2,167.86	15%	\$1,842.68
BOG-106-0800W	APOGEE 106-0800W AFI-8 WHITE LOUDSPEAKER	\$3,015.30	15%	\$2,563.01
BOG-106-0470W	APOGEE 106-0470W AFI-4W LOUDSPEAKER W/A WHITE	\$2,649.24	15%	\$2,251.85
BOG-106-0470	APOGEE 106-0470 AFI-4W LOUDSPEAKER WIDE ANGLE	\$2,649.24	15%	\$2,251.85
BOG-106-0460	APOGEE 106-0460 AFI-4MB BI-AMP STAGE MONITOR	\$1,526.33	15%	\$1,297.38
BOG-106-0455	APOGEE 106-0455 AFI-4MW, MONITOR WIDE ANGLE	\$1,719.32	15%	\$1,461.42
BOG-106-0450	APOGEE 106-0450 AFI-4M, STAGE MONITOR	\$2,401.04	15%	\$2,040.88
BOG-106-0430	APOGEE 106-0430 AFI-4B, BI-AMP LOUDSPEAKER	\$1,582.56	15%	\$1,345.18
BOG-PRS40C	BOGEN PRS40C POWER SUPPLY 12VDC/300MA	\$48.71	15%	\$41.40
BOG-TPU15A	BOGEN TPU15A 15W/25V/70V/80HM	\$513.13	15%	\$436.16
BOG-T725	BOGEN T725 SPKR TRANSFORMER	\$15.29	15%	\$13.00
BOG-PG8W	BOGEN PG8W GRILLE, ROUND STEEL WHITE	\$14.98	15%	\$12.73

BOG-WMT1AS	BOGEN WMT1AS MATCHING XFORM, ADAPTS TO SPKR	\$108.06	15%	\$91.85
BOG-URC200	BOGEN URC200 IP BASED REMOTE, LCD DISPLAY	\$2,583.09	15%	\$2,195.63
BOG-SPS2466	BOGEN SPS2466 PWR SPLY SWITCHING 24VDC 6.6AMP	\$508.11	15%	\$431.89
BOG-SEC4T	BOGEN SEC4T 4"CEILING SKR,4 WATT/SPR CLAMP	\$45.21	15%	\$38.43
BOG-RAC8	BOGEN RAC8 REMOTE CONTROL, 8 SOURCE	\$290.18	15%	\$246.65
BOG-RAC5	BOGEN RAC5 REMOTE CONTROL, 5 SOURCE	\$274.21	15%	\$233.08
BOG-PPMIT5	BOGEN PPMIT5 IP TOUCHSCREEN PAGING STATION	\$5,098.92	15%	\$4,334.08
BOG-PPM8	BOGEN PPM8 8 BUTTON PAGING MICROPHONE	\$1,355.13	15%	\$1,151.86
BOG-NSM	BOGEN NSM NOISE SENSING MICROPHONE	\$309.98	15%	\$263.48
BOG-MCP35A	BOGEN MCP35A MASTER CONTROL PANEL	\$2,280.67	15%	\$1,938.57
BOG-CORE8X8	BOGEN CORE8X8 8 X 8 MATRIX CONTROLLER	\$5,179.09	15%	\$4,402.23
BOG-CORE12X4	BOGEN CORE12X4 12 X 4 MATRIX CONTROLLER	\$5,179.09	15%	\$4,402.23
BOG-CC4041	BOGEN CC4041 AMPLIFIER,40W,4IN/1PRIORITY LV	\$441.25	15%	\$375.06
BOG-CC4021	BOGEN CC4021 AMPLIFER,40W,2 INPTS 1 P/LEVEL	\$379.87	15%	\$322.89
BOG-BOMDMU	BOGEN BOMDMU MULTIPLE MESSAGE UNIT	\$5,482.05	15%	\$4,659.74
BOG-TERRAEX	BOGEN TERRAEX IP-MEDIA STREAMERS	\$914.03	15%	\$776.93
BOG-8MN-PSU	BOGEN 8MN-PSU POWER SUPPLY, 8 CHANNELS	\$9,291.08	15%	\$7,897.42
BOG-LCS8XT72	PENTON AUD LCS8XT72 Coax 20w, CRS grille	\$72.98	15%	\$62.03
BOG-JB	BOGEN JB RS485 JUNCTION BOX FOR PPM/URC	\$131.14	15%	\$111.47
BOG-PRS2403R	BOGEN PRS2403R 24V POWER SUPPLY (REGULATED)	\$56.69	15%	\$48.19
BOG-RPK93	BOGEN RPK93 RACK MOUNT KIT, CC AMPLIFIERS	\$51.11	15%	\$43.44
BOG-TERRAIEX	BOGEN TERRAIEX IP-MEDIA/AUDIO IN/EX STREAMERS	\$1,919.46	15%	\$1,631.54

BOG-TNG1S	BOGEN TNG1S TONE GENERATOR MODULE	\$177.41	15%	\$150.80
BOG-MIC1X	BOGEN MIC1X MICROPHONE MODULE M-SERIES	\$176.64	15%	\$150.14
BOG-SAX1R	BOGEN SAX1R STEREO AUXILIARY MODULE	\$126.65	15%	\$107.65
BOG-TEL1S	BOGEN TEL1S TELEPHONE MODULE M-SERIES	\$162.67	15%	\$138.27
BOG-SG8W	BOGEN SG8W GRILLE,ROUND STEEL WHITE	\$20.35	15%	\$17.30
BOG-SPT30A	BOGEN SPT30A taps-30,15,7.5,3.7,1.8/70v	\$243.83	15%	\$207.26
BOG-TG4C	BOGEN TG4C TONE SIGNAL GENERATOR	\$315.88	15%	\$268.50
BOG-TBCR	BOGEN TBCR TILE BRIDGE	\$36.48	15%	\$31.01
BOG-S810T725	BOGEN S810T725 8 INCH SPEAKER W/XFMR (10 OZ M	\$41.56	15%	\$35.33
BOG-AT10A	BOGEN AT10A AUTO XFMR ATTENUATOR	\$58.81	15%	\$49.99
BOG-WMK1	BOGEN WMK1 WALL MOUNTING KIT	\$486.46	15%	\$413.49
BOG-AT35A	BOGEN AT35A ATTENUATOR	\$71.85	15%	\$61.07
BOG-PCMPS2	BOGEN PCMPS2 1 REQ PER PCMCPU	\$73.92	15%	\$62.83
BOG-ANS500M	BOGEN ANS500M MIC MODULE	\$71.87	15%	\$61.09
BOG-ANS501	BOGEN ANS501 AMBIENT NOISE SENSOR	\$677.09	15%	\$575.53
BOG-MIC2S	BOGEN MIC2S MIC INPUT MODULE	\$123.79	15%	\$105.22
BOG-RPK87	BOGEN RPK87 RKMT/VSERIES	\$71.37	15%	\$60.66
BOG-TBL1S	BOGEN TBL1S INPUT MODULE	\$129.12	15%	\$109.75
BOG-SPT15A	BOGEN SPT15A 70/VOLT	\$184.03	15%	\$156.43
BOG-VAR1	BOGEN VAR1 VOICE ACTIVATED RELAY	\$261.87	15%	\$222.59
BOG-SBA225	BOGEN SBA225 SELECTOR PANEL FOR S135A	\$837.32	15%	\$711.72

BOG-CA10A	BOGEN CA10A CALL SWITCH WITH SCR CIRCUIT	\$51.96	15%	\$44.17
BOG-OCS1	BOGEN OCS1 CEILING SPKR 16ohm/70v/100v	\$301.03	15%	\$255.88
BOG-HDU250	BOGEN HDU250 HANDHELD MIC	\$283.62	15%	\$241.08
BOG-SF4	MID ATLANT SF4 4SP FINE PERF SECURITY CO	\$68.00	15%	\$57.80
BOG-BBF	BOGEN BBF FOR WV SERIES MIXER AMPS	\$257.00	15%	\$218.45
BOG-WMAD	BOGEN WMAD LOCKABLE FRONT DOOR FOR WM	\$304.39	15%	\$258.73
BOG-2518	BOGEN 2518 CONNECTOR KIT 18 GAUGE 30 PCS	\$67.17	15%	\$57.09
BOG-2520	BOGEN 2520 CONNECTOR KIT 20 GAUGE 30 PCS	\$67.17	15%	\$57.09
BOG-2522	BOGEN 2522 CONNECTOR KIT 22 GAUGE 30 PCS	\$67.17	15%	\$57.09
BOG-TL156	BOGEN TL156 HAND TOOL FOR CONNECTORS	\$57.49	15%	\$48.87
BOG-WBS8T725	BOGEN WBS8T725 WALL BAFFLE speaker	\$80.63	15%	\$68.54
BOG-XLR25	BOGEN XLR25 15' MIC CABLE	\$74.91	15%	\$63.67
BOG-ZX3	BOGEN ZX3 3 ZONE EXPANSION MODULE	\$203.48	15%	\$172.96
BOG-RPK50	BOGEN RPK50 C100/C60/C35 RACK KIT	\$72.53	15%	\$61.65
BOG-PRLSI	BOGEN PRLSI LOOP START INTERFACE	\$139.63	15%	\$118.69
BOG-SI35A	BOGEN SI35A 75 CONTOL STATION	\$5,033.95	15%	\$4,278.86
BOG-WMT1A	BOGEN WMT1A LINE XFMR 500 OHM (57-4188-01)	\$70.20	15%	\$59.67
BOG-HTA125A	BOGEN HTA125A RACK MOUNT 4/8/70VOLT	\$1,458.97	15%	\$1,240.12
BOG-SPT5A	BOGEN SPT5A 7.5-WATT PAGING SPEAKER	\$95.35	15%	\$81.05
BOG-CA17	BOGEN CA17 MOMENTARY CLOSURE	\$40.24	15%	\$34.20
BOG-BC1	BOGEN BC1 BEAM CLAMP FOR SPT/HSEZ HORNS	\$19.78	15%	\$16.81
BOG-HDO100	BOGEN HDO100 DYNAMIC	\$233.27	15%	\$198.28

BOG-BBSM6	BOGEN BBSM6 BACKBOX SURFACE MOUNT 6" DEEP	\$99.46	15%	\$84.54
BOG-MN-DSP	BOGEN MN-DSP SPEAKER PROTECTION DSP UNIT	\$5,220.27	15%	\$4,437.23
BOG-OCS1B	BOGEN OCS1B ORBIT CEILING SPEAKER NEAR BLK	\$301.03	15%	\$255.88
BOG-HFCS1LPB	BOGEN HFCS1LPB LOW PROFILE, CEILING SPK BLACK	\$222.18	15%	\$188.85
BOG-MPS2W	BOGEN MPS2W COAX MINI PENDANT SPEAKER WHT	\$314.80	15%	\$267.58
BOG-CBG06	BOGEN CBG06 TILE BRIDGE FOR CCS6/CCS6T	\$29.24	15%	\$24.85
BOG-WB1EZ	BOGEN WB1EZ WALL BAFFEL, 1W, EASY DESIGN	\$112.73	15%	\$95.82
BOG-CK10W	BOGEN CK10W WHT 10FT CABLE & CLAMP	\$29.70	15%	\$25.25
BOG-CK10B	BOGEN CK10B BLK 10FT CABLE & CLAMP	\$29.70	15%	\$25.25
BOG-GDU150	BOGEN GDU150 GOOSENECK FLEXIBEL DYNAMIC	\$158.97	15%	\$135.12
BOG-A2TWHT	BOGEN A2TWHT SPEAKER, MODEL A2 W/XFMR WHITE	\$352.40	15%	\$299.54
BOG-A8BLK	BOGEN A8BLK SPEAKER, MODEL A8 - BLACK	\$625.42	15%	\$531.61
BOG-SMTB	BOGEN SMTB SM1EZ & SM4T TILE BRIDGE	\$71.70	15%	\$60.95
BOG-PRS48	BOGEN PRS48 DC 100ma	\$148.37	15%	\$126.11
BOG-ATP35	BOGEN ATP35 W/PRIORITY	\$111.25	15%	\$94.56
BOG-MB8TSQVR	BOGEN MB8TSQVR 4W TRANSw/VR	\$129.34	15%	\$109.94
BOG-RPK53	BOGEN RPK53 RACK PANEL FOR BPA60	\$71.72	15%	\$60.96
BOG-DFT120	BOGEN DFT120 DIGITAL FEEDBACK TERMINATOR	\$2,073.74	15%	\$1,762.68
BOG-FG15W	BOGEN FG15W WHITE 8OHM/70V MULTI TAP	\$163.15	15%	\$138.68
BOG-S810	BOGEN S810 8in SPEAKER 10oz MAGNET	\$29.50	15%	\$25.08
BOG-LMM1S	BOGEN LMM1S INPUT MODULE	\$178.71	15%	\$151.90
BOG-S86T725PG8WVR	BOGEN S86T725PG8WVR RECESSED VOLUME CONTROL	\$69.30	15%	\$58.91
HY-BC802-AM	Flush-mount Metal Back-can for IR-802- IR-802SP	\$149.70	15%	\$127.25

BOG-SCR25A	BOGEN SCR25A CALL-IN MODULE FOR SBA225	\$796.38	15%	\$676.92
BOG-ATP10	BOGEN ATP10 W/PRIORITY	\$87.32	15%	\$74.22
BOG-ASTB4	BOGEN ASTB4 A SERIES TERMINAL BOOT 4PK	\$49.50	15%	\$42.08
BOG-IH8A	BOGEN IH8A PAGING HORN 15W 8OHMS	\$104.61	15%	\$88.92
BOG-BBFM6	BOGEN BBFM6 FLANGE MOUNT ENCL	\$113.28	15%	\$96.29
BOG-SGHD8	BOGEN SGHD8 HEAVY DUTY GRILLE	\$75.13	15%	\$63.86
BOG-TBSF	BOGEN TBSF TILE BRIDGE SUPPORT	\$38.70	15%	\$32.90
BOG-ADP1	EARTHWORKS ADP1 1/2in Calibrator adapter	\$44.00	15%	\$37.40
BOG-MB8TSLVR	BOGEN MB8TSLVR METAL BOX SPEAKER 8" CONE	\$121.77	15%	\$103.50
BOG-ASWG1DK	BOGEN ASWG1DK AS1 W CEIL GRILLE OFF WHT	\$88.35	15%	\$75.10
BOG-WB8	BOGEN WB8 WALL BAFFLE WALNUT FINISH	\$37.88	15%	\$32.20
BOG-WBS810T725	BOGEN WBS810T725 WALL BAFFLE	\$89.21	15%	\$75.83
BOG-CSD2X2L	BOGEN CSD2X2L CDS2X2 8OHM ONLY OFF-WHITE	\$160.16	15%	\$136.14
BOG-MSM	BOGEN MSM SHOCK ISOLATED MIC BASE	\$76.19	15%	\$64.76
BOG-HFSF1	BOGEN HFSF1 SML FOOTPRINT SLNG SPKR 4"COAX	\$165.90	15%	\$141.02
BOG-SCU250	BOGEN SCU250 20' MINI CABLE	\$360.43	15%	\$306.37
BOG-S86T725PG8U	BOGEN S86T725PG8U SPKR, W/BRIGHT WHITE GRILLE	\$45.91	15%	\$39.02
BOG-RE84	BOGEN RE84 BACKBOX	\$30.07	15%	\$25.56
BOG-TB8	BOGEN TB8 TILE BRIDGE	\$15.97	15%	\$13.57
BOG-ASWG1	BOGEN ASWG1 PWR 8" CEILING SPK	\$83.14	15%	\$70.67
BOG-TCSPT1	BOGEN TCSPT1 COVER,TER'L SPT FOR CONDUIT FI	\$17.51	15%	\$14.88

BOG-RPK91	BOGEN RPK91 SINGLE RACK MOUNT KIT TAMB2	\$68.62	15%	\$58.33
BOG-FMHAR8	BOGEN FMHAR8 ADAPTER RING, FMH15T 8" SPKR	\$47.89	15%	\$40.71
BOG-VRS1	BOGEN VRS1 VANDAL RESIST SPKR & CALL SWCH	\$209.84	15%	\$178.36
BOG-WBS8T725BR	BOGEN WBS8T725BR WALL BAFFLE SPK/XFMR/TRAN ASSY	\$97.81	15%	\$83.14
BOG-MPS2B	BOGEN MPS2B COAX MINI PENDANT SPEAKER BLK	\$314.80	15%	\$267.58
BOG-LBC8T72B	BOGEN LBC8T72B 8"OPEN CEILING SPEAKER, BLACK	\$143.77	15%	\$122.20
BOG-A6WHT	BOGEN A6WHT WHITE 2 WAY 6" SPEAKER 8OHM	\$443.39	15%	\$376.88
BOG-UTI312	BOGEN UTI312 TELEPHONE INTERFACE	\$716.25	15%	\$608.81
BOG-TMA812	BOGEN TMA812 TILT MOUNT FOR A8/A12 SPEAKER	\$271.06	15%	\$230.40
BOG-TL100	BOGEN TL100 INPUT TRANSFORMER 1:1 PLUG-IN	\$110.51	15%	\$93.93
BOG-T72510	BOGEN T72510 SPKR TRANSFORMER	\$24.82	15%	\$21.10
BOG-SRCA6	BOGEN SRCA6 CABLE, STEREO RCA TO RCA 6ft	\$75.99	15%	\$64.59
BOG-SPS2425	BOGEN SPS2425 PWR SPLY SWITCHING 24VDC 2.5AMP	\$226.49	15%	\$192.52
BOG-SPS2410	BOGEN SPS2410 PWR SPLY SWITCHING 24VDC 1 AMP	\$169.99	15%	\$144.49
BOG-SPS2406	BOGEN SPS2406 POWER SUPPLY 24V@600ma	\$117.22	15%	\$99.64
BOG-SP58A	BOGEN SP58A PAGING HORN 7.5 WATT 8 OHM	\$114.11	15%	\$96.99
BOG-SP158A	BOGEN SP158A PAGING HORN 15 WATT 8 OHM	\$163.44	15%	\$138.92
BOG-SLC	BOGEN SLC SOUND LEVEL CONTROL	\$44.62	15%	\$37.93
BOG-SIC	BOGEN SIC SI35A CABINET AND REAR COVER	\$718.96	15%	\$611.12
BOG-SAH5	BOGEN SAH5 5 WATT SWITCHING AMP HORN	\$204.56	15%	\$173.88
BOG-SAH30	BOGEN SAH30 30 WATT SWITCHING AMP HORN	\$297.51	15%	\$252.88

BOG-SAH15	BOGEN SAH15 15 WATT SWITCHING AMP HORN	\$237.86	15%	\$202.18
BOG-S86T725PG8UVK	BOGEN S86T725PG8UVK SPKR W/BRIGHT WHITE GRILLE	\$72.16	15%	\$61.34
BOG-S86T725PG8UBRVR	BOGEN S86T725PG8UBRVR SPKR w/BRIGHT WHT GRILL W/VOL	\$84.08	15%	\$71.47
BOG-S86T725PG8UBRVK	BOGEN S86T725PG8UBRVK SPKR W/BRIGHT WHT GRILL W/VOL	\$87.38	15%	\$74.27
BOG-S86T725PG8UBR	BOGEN S86T725PG8UBR SPKR W/BRIGHT WHITE GRILL	\$61.12	15%	\$51.95
BOG-S86	BOGEN S86 8 INCH SPEAKER (6OZ MAGNET)	\$23.08	15%	\$19.62
BOG-S810T725PG8UVK	BOGEN S810T725PG8UVK SPKR W/BRIGHT WHITE GRILL S810	\$76.25	15%	\$64.81
BOG-S5TW	BOGEN S5TW SPKR,NEAR 5.25",8 OHMS WHT/TRA	\$269.63	15%	\$229.19
BOG-S5TB	BOGEN S5TB SPKR,NEAR5.25",8 OHMS BLK/TRAN	\$269.63	15%	\$229.19
BOG-S4TW	BOGEN S4TW SPKR, NEAR 4.5",8 OHMS WHT/TRA	\$202.95	15%	\$172.51
BOG-S4TB	BOGEN S4TB SKR, NEAR 4.5",8 OHMS BLK/TRAN	\$202.95	15%	\$172.51
BOG-RPK86	BOGEN RPK86 RACK, PANEL MOUNT M&X SERIES	\$93.65	15%	\$79.60
BOG-PG8U	BOGEN PG8U GRILL, ROUND STEEL BRIGHTWHITE	\$15.40	15%	\$13.09
BOG-PCMSYS3	BOGEN PCMSYS3 3-ZONE PCM PREBUILT W/PCMPS2	\$1,053.01	15%	\$895.06
BOG-MRCA6	BOGEN MRCA6 CABLE, MONAURAL RCA TO RCA 6ft	\$48.03	15%	\$40.83
BOG-MRCA3	BOGEN MRCA3 CABLE, MONAURAL RCA TO RCA 3ft	\$45.89	15%	\$39.01
BOG-MPS1W	BOGEN MPS1W HANGING PENDANT SPKR, WHT 70V	\$225.02	15%	\$191.27
BOG-MPS1B	BOGEN MPS1B HANGING PENDANT SPKR, BLK 70V	\$225.02	15%	\$191.27
BOG-MAC	BOGEN MAC 25' MIC CABLE FEMALE CONNECTOR	\$64.37	15%	\$54.71
BOG-LMR1S	BOGEN LMR1S LINE/MIC INPUT MODULE w/VC	\$190.26	15%	\$161.72
BOG-HSES10	BOGEN HSES10 E-BOX MOUNTING STRAP 10/PKG	\$17.23	15%	\$14.65
BOG-HS7EZ	BOGEN HS7EZ HORN SPEAKER, 7W, EASY DESIGN	\$153.56	15%	\$130.53
BOG-GCU250	BOGEN GCU250 MIC, GOOSE NECK ELECT CAROID	\$506.48	15%	\$430.51

BOG-FG15B	BOGEN FG15B FOREGROUND MUSIC SYSTEM 15W	\$163.15	15%	\$138.68
BOG-CSD2X2VRU	BOGEN CSD2X2VRU SPEAKER, 2X2 w/VR BRIGHT WHITE	\$186.47	15%	\$158.50
BOG-CSD1X2VRU	BOGEN CSD1X2VRU SPKR,1X2 PNL w/VR ULTRA WHT	\$138.38	15%	\$117.62
BOG-CSD1X2VR	BOGEN CSD1X2VR SPKR,CEILING 1X2 PANEL w/VR	\$138.38	15%	\$117.62
BOG-CSD1X2U	BOGEN CSD1X2U CSD1X2 w/BRIGHT WHITE GRILLE	\$119.15	15%	\$101.28
BOG-CK10	BOGEN CK10 CABLE, 10 FOOT KIT	\$29.70	15%	\$25.25
BOG-CA11A	BOGEN CA11A CALL PRIVACY SWITCH W/SCR	\$60.02	15%	\$51.02
BOG-ASWB1	BOGEN ASWB1 WALNUT WALL BAFFLE SPKR ACT.	\$129.18	15%	\$109.80
BOG-ASUG1DK	BOGEN ASUG1DK ASWG1DK w/BRIGHT WHITE GRILLE	\$87.12	15%	\$74.05
BOG-ASUG1	BOGEN ASUG1 ASUG1 w/BRIGHT WHITE GRILLE	\$87.12	15%	\$74.05
BOG-ASM1	BOGEN ASM1 SPKR,SELF-AMP EZ MOUNT CEILING	\$108.48	15%	\$92.21
BOG-AMT15	BOGEN AMT15 15" APOGEE MOLDED TRAP SPEAKER	\$537.22	15%	\$456.64
BOG-AMT12	BOGEN AMT12 12" APOGEE MOLDED TRAP SPEAKER	\$480.83	15%	\$408.71
BOG-AMBSQ1	BOGEN AMBSQ1 1W SELF/AMP SQ MTL ENCL,8	\$169.88	15%	\$144.40
BOG-AMBSL1	BOGEN AMBSL1 1W SELF/AMP SLANT MTL ENCL,8	\$169.07	15%	\$143.71
BOG-AH5A	BOGEN AH5A 5 WATT HORN	\$203.85	15%	\$173.27
BOG-AH15A	BOGEN AH15A 15W AMPLIFIED HORN	\$228.32	15%	\$194.07
BOG-ACD2X2U	BOGEN ACD2X2U ACD2X2 W/ BRIGHT WHITE GRILLS	\$160.75	15%	\$136.64
BOG-A8TWHT	BOGEN A8TWHT SPEAKER, MODEL A8 W/XFMR WHITE	\$691.22	15%	\$587.54
BOG-A6TWHT	BOGEN A6TWHT SPEAKER, MODEL A6 W/XFMR WHITE	\$460.42	15%	\$391.36
BOG-A6BLK	BOGEN A6BLK SPEAKER, MODEL A6 - BLACK	\$443.39	15%	\$376.88

BOG-A2WHT	BOGEN A2WHT SPEAKER, MODEL A2 100W- WHITE	\$345.73	15%	\$293.87
BOG-A12	5/8"-27 Threaded Mounting Flange, Matte Silver	\$11.00	15%	\$9.35
BOG-HFCS1B	BOGEN HFCS1B HI-FI CEILING SPEAKER BLK	\$215.01	15%	\$182.76
BOG-CORE4X12	BOGEN CORE4X12 4 X 12 MATRIX CONTROLLER	\$5,179.09	15%	\$4,402.23
BOG-BRG8B	BOGEN BRG8B TILE BRIDGE USA MADE	\$27.37	15%	\$23.26
BOG-BBX8B	BOGEN BBX8B BACK BOX	\$35.84	15%	\$30.46
BOG-DRZ120	BOGEN DRZ120 RECEIVER,AM,FM,MP,120W	\$1,043.81	15%	\$887.24
BOG-BPA2480	BOGEN BPA2480 2 CH 480W AUDIO AMP MONO 960W	\$4,327.66	15%	\$3,678.51
BOG-BPA2120	BOGEN BPA2120 2 CH 120W AUDIO AMP MONO 240W	\$2,147.95	15%	\$1,825.76
BOG-NQ-PA120	BOGEN NQ-PA120 NYQUIST 4-INPUT, 120W, 1RU, PU	\$1,756.46	15%	\$1,492.99
BOG-PS60	BOGEN PS60 Platinum Series 60W, 8- Ohm/25V	\$1,012.07	15%	\$860.26
BOG-PS240	BOGEN PS240 PLATINUM SERIES 240W, 8-Ohm/70	\$1,804.42	15%	\$1,533.76
BOG-PS120	BOGEN PS120 PLATINUM SERIES 120W,80Ohm.70V	\$1,284.91	15%	\$1,092.17
BOG-NQ-PA240	BOGEN NQ-PA240 NYQUIST 4-INPUT, 240W, 1RU, PU	\$2,261.93	15%	\$1,922.64
BOG-NQ-RMK02	BOGEN NQ-RMK02 NYQUIST 1U RACK MOUNT KIT TYPE	\$94.20	15%	\$80.07
BOG-NQ-C4000MBP	BOGEN NQ-C4000MBP C4000 SYSTEM SOFTWARE LICENSE	\$1,527.42	15%	\$1,298.31
BOG-NQ-E7010	BOGEN NQ-E7010 I/O CONTROLLER	\$636.44	15%	\$540.97
BOG-IG8S2M	BOGEN IG8S2M NEAR 8"; 2-WAY, IN-GND, LOUDSP	\$1,011.50	15%	\$859.78
BOG-NQ-C4000-B3	BOGEN NQ-C4000-B3 C4000 SERIES SYSTEM SOFTWARE L	\$8,062.10	15%	\$6,852.79
BOG-NQ-SYSCTRL	BOGEN NQ-SYSCTRL NYQUIST SYSTEM CONTROLLER (H/W	\$2,261.93	15%	\$1,922.64
BOG-NQ-C4000PBXI	BOGEN NQ-C4000PBXI C4000 SERIES SYSTEM - PBX INTE	\$636.44	15%	\$540.97

BOG-MGN19A	BOGEN MGN19A GOOSENECK, 19" FLEXIBLE, DYNAM	\$218.09	15%	\$185.38
BOG-NQ-RMK03	BOGEN NQ-RMK03 NYQUIST 1U-2U RACK MOUNT KIT T	\$88.44	15%	\$75.17
BOG-PS600	BOGEN PS600 PLATINUM SERIES 600W, 8-Ohm/70	\$2,143.17	15%	\$1,821.69

